

creaAGE



40

50

60+

RECOGNIZE
YOUR AGE.





HIGH-END DESIGN
 FOCUSED ON WEARER'S AGE
 IMMEDIATE ADAPTION
 EXTREMELY MINIMIZED ABERRATIONS

CREA AGE

The new frontier of PAL designs is to improve adaptability based on users' behavior and lifestyle. The **Crea Age** from ProCrea Tech extends the power of Crea Single and it is based on a multi-design concept that provides different power distribution and optimization targets for each addition/corridor combination. As the addition increases with user's age, the target of the design is to keep always the same level of comfort for all zones to guarantee immediate adaptation. Every single solution has been tested on average users with different kinds of frames and has been fixed according to the feedbacks received. Further customization is also available for this design when you provide parameters of user and frame.


AGE [years]	ADDITION for 40 cm [D]
40-49	0.75-1.75
50-59	2.00-2.50
> 60	> 2.75




TECHNOLOGIES




DESIGN PARAMETERS




POWER MAP




CYLINDER MAP



PERFORMANCE



TECHNICAL SPECS



Market Segment	Type	Allowed Materials	Precalibration	Personalization
High-end progressive	Adaptive	All	Yes	Yes

Prism Ref. Point (PRP)	Distance Ref. Point (DRP)	Layout Reference Point (LRP)	Inset	Near Ref. Point (NRP)
Geometrical Center Allowed Range: 0 - 12 mm	+10 mm	+4 mm	0 - 4 mm smart inset	11 - 17 mm

Min. Fitting Height	Max. Diameter	Sphere Range	Cylinder Range	Addition Range
13 - 20 mm	80 mm	-30 / +25 dpt	-8 / +8 dpt	0.75 / 4.50 dpt



via dei calafati 9/A
70056 Molfetta (Bari) Italy
ph. +39 080 919 09 30
fax +39 080 919 09 25
info@procreatech.com
procreatech.com