

OFFICE PLUS DESIGN
PROVIDES EXACT DEGRESSION
FOR REQUIRED DEPTH
OF FIELD NEAR
AND INTERMEDIATE USE

CREA ROOM

The new exclusive office lens with a completely renovated concept. Instead of degression now one can choose the maximum depth of field of the lens based on personal requirements.

A wide range of depth of fields is available: from 0,5m to 4mt, in steps of 0,5m. The design is automatically optimized for the selected value. It is easier now, even for opticians, to order an office lens at your lab. It is only necessary to know the user's work environment and create the "virtual room" accordingly.

TECHNOLOGIES





DESIGN PARAMETERS















POWER MAP


CYLINDER MAP



PERFORMANCE

TECHNICAL SPECS





Market Segment	Туре	Allowed Materials		Precalibration		Personalization	
High-end Office/ Computer Lens	Soft	All		Ye	5	No	
Prism Ref. Point (PRP)	Distance Ref. Point (DRP)		Layout Reference Point (LRP)		Inset	Near Ref. Point (NRP)	Min. Fitting Height
Geometrical Center Allowed Range: 0 - 12 mm	+10 mm		+4 mm		0 - 4 mm auto inset	15 mm	15 mm

Max. Diameter	Sphere Range	Cylinder Range	Addition Range	Degr.	Dept of Field
80 mm	-25 / +15 dpt		0.75 / 3.50 dpt	Auto	Variable (33 cm - 4 mt)





via dei calafati 9/A 70056 Molfetta (Bari) Italy ph. +39 080 919 09 30 fax +39 080 919 09 25 info@procreatech.com procreatech.com